Lagerbock CS7, Serie CM1

- mit sphärischem Gelenklager
- Zylinderbefestigung nach VDMA 24562 Teil 2
- geeigneter Kolben-Ø 32 40 50 63 80 100 125 mm



Normen VDMA 24562 Teil 2


Technische Daten

Materialnummer	Kolben-Ø	Gelenklager-Ø
1827001784	32 mm	10 mm
1827001785	40 mm	12 mm
1827001786	50 mm	16 mm
1827001787	63 mm	16 mm
1827001788	80 mm	20 mm
1827001789	100 mm	20 mm
1827001790	125 mm	30 mm

Technische Informationen

Werkstoff	
Werkstoff	Gusseisen mit Kugelgraphit
	verzinkt

Abmessungen




Abmessungen

Materialnummer	Kolben-Ø	CH JS15	ØCN H7	EU max.	EN -1,0	ER max.	G1 JS14	G2 JS14
1827001784	32 mm	32	10	10.5	14	16	21	18
1827001785	40 mm	36	12	12	16	18	24	22
1827001786	50 mm	45	16	15	21	21	33	30
1827001787	63 mm	50	16	15	21	23	37	35
1827001788	80 mm	63	20	18	25	28	47	40
1827001789	100 mm	71	20	18	25	30	55	50
1827001790	125 mm	90	30	25	37	40	70	60

Materialnummer	G3 max.	H1 min.	H6	K1 JS14	K2 max.	ØS5 H13	Z min.
1827001784	31	16	9 ±1	38	51	6.6	4°
1827001785	35	20	9 ±1	41	54	6.6	4°
1827001786	45	22	11 ±1	50	65	9	4°
1827001787	50	27	11 ±1	52	67	9	4°
1827001788	60	31	12 ±1,5	66	86	11	4°
1827001789	70	38	13 ±1,5	76	96	11	4°
1827001790	90	40	17 ±1,5	94	124	14	4°

Efficient pneumatic solutions, our program: cylinders and drives, valves and valve systems, air supply management



Visit us: Emerson.com/Aventics

Your local contact: Emerson.com/contactus

Emerson.com

Facebook.com/EmersonAutomationSolutions

LinkedIn.com/company/Emerson-Automation-Solutions

Twitter.com/EMR_Automation

An example configuration is depicted on the title page. The delivered product may thus vary from that in the illustration. Subject to change. This Document, as well as the data, specifications and other information set forth in it, are the exclusive property of AVENTICS GmbH. It may not be reproduced or given to third parties without its consent. Only use the AVENTICS products shown in industrial applications. Read the product documentation completely and carefully before using the product. Observe the applicable regulations and laws of the respective country. When integrating the product into applications, note the system manufacturer's specifications for safe use of the product. The data specified only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgement and verification. It must be remembered that the products are subject to a natural process of wear and aging.

The Emerson logo is a trademark and service mark of Emerson Electric Co. Brand logotype are registered trademarks of one of the Emerson family of companies. All other marks are the property of their respective owners. © 2020 Emerson Electric Co. All rights reserved.
2020-12

EMERSON.

CONSIDER IT SOLVED™