
Schalldämpfer, Serie SI1

- Ø 4 Ø 6 Ø 8
- Sinterbronze





Betriebsdruck min./max.	0 ... 10 bar
Umgebungstemperatur min./max.	-25 ... 80 °C
Medium	Druckluft
Schalldruckpegel	Siehe Tabelle unten
Gewicht	Siehe Tabelle unten
Bemerkung	Durchflusskennlinien sind unter "Diagramme" zu finden.

Technische Daten

Materialnummer	Druckluftanschluss	Schalldruckpegel	Durchfluss Qn	Liefereinheit	Gewicht
8240040000	Ø 4	72 dB	366 l/min	5 Stück	0,004 kg
8240060000	Ø 6	-	1011 l/min	5 Stück	0,01 kg
8240080000	Ø 8	75 dB	2200 l/min	5 Stück	0,019 kg

Gewicht pro Stück


Nenndurchfluss Qn bei p1 = 6 bar (absolut) frei abgeströmt. Schalldruckpegel gemessen bei 6 bar gegen Atmosphäre in 1 m Entfernung.

Technische Informationen

Werkstoff	
Schalldämpfer	Sinterbronze
Steckanschluss	Messing

Abmessungen

Abmessungen




Abmessungen

Materialnummer	Anschluss G	Ø D2	L1	L2	SW
8240040000	Ø 4	2.5	16	17	10
8240060000	Ø 6	4	18	19	13
8240080000	Ø 8	6	25	19	17


Schalldruckpegel gemessen bei 6 bar in 1 m Entfernung

Diagramme


Durchflussdiagramm, 8240040000




Durchflussdiagramm, 8240060000



Durchflussdiagramm, 8240080000



Efficient pneumatic solutions, our program: cylinders and drives, valves and valve systems, air supply management



Visit us: Emerson.com/Aventics

Your local contact: Emerson.com/contactus

Emerson.com

Facebook.com/EmersonAutomationSolutions

LinkedIn.com/company/Emerson-Automation-Solutions

Twitter.com/EMR_Automation

An example configuration is depicted on the title page. The delivered product may thus vary from that in the illustration. Subject to change. This Document, as well as the data, specifications and other information set forth in it, are the exclusive property of AVENTICS GmbH. It may not be reproduced or given to third parties without its consent. Only use the AVENTICS products shown in industrial applications. Read the product documentation completely and carefully before using the product. Observe the applicable regulations and laws of the respective country. When integrating the product into applications, note the system manufacturer's specifications for safe use of the product. The data specified only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgement and verification. It must be remembered that the products are subject to a natural process of wear and aging.

The Emerson logo is a trademark and service mark of Emerson Electric Co. Brand logotype are registered trademarks of one of the Emerson family of companies. All other marks are the property of their respective owners. © 2021 Emerson Electric Co. All rights reserved.
2021-05

EMERSON

CONSIDER IT SOLVED™